

Section I -- PRODUCT & COMPANY IDENTIFICATION

PRODUCT NUMBER MB103
PRODUCT NAME MB103, Part 1: NCP-2 Battery Terminal Protectors
HMIS CODES Health: 1, Flammability: 1, Reactivity: 0

MANUFACTURER'S NAME

The Noco® Company
Cleveland, OH 44122

EMERGENCY TELEPHONE NO.

(800) 424-9300

INFORMATION TELEPHONE NO.

(800) 456-6626

DATE OF PREPARATION

15-MARCH-2011

Section II -- HAZARDOUS INGREDIENTS

% by WT	CAS No.	INGREDIENT	PEL PPM	TLV PPM	TLV MG/M3	UEL
9	Proprietary	Mineral Oil	None	None	5.0	N/A

SARA HAZARD: None (Not listed - Title III, Section 313)

CARCINOGENICITY: This product is not considered a suspected animal carcinogen by the National Toxicity Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration.

PURSUANT TO PROPOSITION 65: Certain raw materials used in making this product may contain small amounts of materials as impurities which are regulated by Proposition 65. See section X.

Section III -- PHYSICAL DATA

Boiling Range:	Above 900 °F	Vapor Density:	Heavier than air	Specific Gravity:	.970
Appearance & Odor:	Red, lubricant-like	Solubility in Water:	No	Evaporation Rate:	Slower than ether
Volatile:	Negligible				

Section IV -- FIRE & EXPLOSION HAZARDS

FLASH POINT	LEL	UEL
475-COCF	See section II	See section II

EXTINGUISHING MEDIA

Extinguish with dry chemical, CO2, water spray, foam, sand or earth and foam may cause frothing. Note that while water fog extinguishers are also acceptable, do not apply a direct stream of water on burning product because it may cause spreading & increase fire intensity.

SPECIAL FIRE FIGHTING PROCEDURES

Wear self-contained breathing apparatus and protective clothing.

UNUSUAL HAZARDS

None known

Section V -- HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: (See section II Hazardous Ingredients)**ROUTES OF ENTRY**

Inhalation: No

Skin: Yes

Ingestion: Yes

EFFECTS OF OVEREXPOSURE SKIN

Short term skin contact is not expected to cause skin irritation. Prolonged or repeated contact may cause redness, burning, and dermatitis.

EYE

This material may cause eye irritation. Direct contact may cause burning, tearing and redness.

INHALATION

This product has low volatility and so is not expected to cause respiratory tract irritation.

INGESTION

Ingestion of this material may cause irritation of the digestive tract.

CHRONIC

Cancer: no information found in standard references.

EMERGENCY AND FIRST AID PROCEDURES

Ingestion: If swallowed do not induce vomiting, give 2 or 3 cups of milk or water to drink. Seek medical attention.

Inhalation: If irritation of nose or throat develops, move away from source of exposure and into fresh air.

Eye Contact: For direct contact, flush the affected eye(s) with gentle stream of clean water for at least 15 minutes. If irritation persists, seek medical attention.

Skin Contact: Do not use gasolines, thinners, or solvents to remove products from skin. Wipe material from skin and remove contaminated clothing. Cleanse affected area(s) thoroughly by washing with mild soap and water and, if necessary, a waterless skin cleaner. If irritation or redness develops and persists, seek medical attention.

Section VI -- REACTIVITY DATA

STABILITY

Stable

INCOMPATIBILITY

Avoid contact with strong oxidizing agents. Extended Exposure to high temperatures may cause decomposition.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition in the presence of air may yield major amounts of oxides of carbon and minor amounts of oxides of sulfur and nitrogen.

HAZARDOUS POLYMERIZATION

Will not occur

Section VII -- SPILL OR LEAKAGE PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Wash down any excess liquid with water.

WASTE DISPOSAL METHOD

Dispose of product in accordance with local, county, state and federal regulations.

Section VIII -- SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION

None

PROTECTIVE GLOVES

Recommended for prolonged or repeated contact.

EYE PROTECTION

Safety glasses

VENTILATION

None

OTHER PROTECTIVE EQUIPMENT

None

Section IX -- SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Do not store near incompatible substances. (See section VI)

OTHER PRECAUTIONS

None

PURSUANT TO PROPOSITION 65

Proposition 65 applies to list of chemicals named by the Governor of California as carcinogens or reproductive toxins.

Warning requirements for specific chemicals take effect one year after they are added to the Governor's list. Other chemicals already added to the Governor's list will be regulated later under Proposition 65.

Section X -- HAZARDOUS MATERIAL IDENTIFICATION

Communication of physical property, health, and safety information is a key factor in our product safety program. With this information you can better fulfill your obligation to educate exposed personnel in the proper handling techniques required to maintain safety in the workplace. Listed in this section is NPCA-HMIS classification for this product.

HMIS CLASSIFICATION CODE

Health: 1 - Slight Hazard

Flammability: 1 - Slight Hazard

Reactivity: 0 - Least Hazard

Personal Protection: B - Glasses and Gloves

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Section I -- PRODUCT & COMPANY IDENTIFICATION

PRODUCT NUMBER MB103
PRODUCT NAME MB103, Part 2: NCP-2 Battery Corrosion Preventative Compound (Brush-On)
HMIS CODES Health: 1, Flammability: 1, Reactivity: 0

MANUFACTURER'S NAME

The Noco® Company
Cleveland, OH 44122

EMERGENCY TELEPHONE NO.

(800) 424-9300

INFORMATION TELEPHONE NO.

(800) 456-6626

DATE OF PREPARATION

15-MARCH-2011

Section II -- HAZARDOUS INGREDIENTS

% by WT	CAS No.	INGREDIENT	PEL PPM	TLV PPM	TLV MG/M3	LEL
82	Proprietary	Mineral Oil	None	None	5.00	N/A
1.9	67-56-1	Methanol	200	200	-	250

SARA HAZARD: None (Not listed - Title III, Section 313)

CARCINOGENICITY: This product is not considered a suspected animal carcinogen by the National Toxicity Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration.

PURSUANT TO PROPOSITION 65: Certain raw materials used in making this product may contain small amounts of materials as impurities which are regulated by Proposition 65. See section IX.

Section III -- PHYSICAL DATA

Boiling Range:	550 °F	Vapor Density:	Heavier than air	Specific Gravity:	930
Appearance & Odor:	Red, lubricant-like and mild odor	Solubility in Water:	Insoluble	Evaporation Rate:	Slower than ether

Section IV -- FIRE & EXPLOSION HAZARDS

FLASH POINT	LEL
475 °F-COC	See section II

EXTINGUISHING MEDIA

Extinguish with dry chemical, CO2. Water spray, foam, sand or earth and foam may cause frothing.

SPECIAL FIRE FIGHTING PROCEDURES

Wear self-contained breathing apparatus and protective clothing.

UNUSUAL HAZARDS

None known

Section V -- HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: (See section II Hazardous Ingredients)**ROUTES OF ENTRY**

Inhalation: No
Skin: Yes
Ingestion: Yes

EFFECTS OF OVEREXPOSURE SKIN

This material may cause skin irritation. Prolonged or repeated contact may cause redness, burning, and dermatitis.

CHRONIC

Cancer: no information found in standard references.

EYE

This material may cause eye irritation. Direct contact may cause burning, tearing and redness.

INGESTION

Ingestion on this material may cause irritation of the digestive tract.

EMERGENCY AND FIRST AID PROCEDURES

Ingestion: If swallowed do not induce vomiting, give 2 or 3 cups of milk or water to drink. Seek medical attention.

Inhalation: If irritation of nose or throat develops, move away from source of exposure and into fresh air.

Eye Contact: For direct contact, flush the affected eye(s) with clean water. Seek medical attention.

Skin Contact: Do not use gasolines, thinners, or solvents to remove products from skin. Wipe material from skin and remove contaminated clothing. Cleanse affected area(s) thoroughly by washing with mild soap and water and, if necessary, a waterless skin cleaner. If irritation or redness develops and persists, seek medical attention.

Section VI -- REACTIVITY DATA

STABILITY

Stable

INCOMPATIBILITY

Avoid contact with strong oxidizing agents. Extended Exposure to high temperatures may cause decomposition.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition in the presence of air may yield major amounts of oxides of carbon and minor amounts of oxides of sulfur and nitrogen.

HAZARDOUS POLYMERIZATION

Will not occur

Section VII -- SPILL OR LEAKAGE PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Wash down any excess liquid with water.

WASTE DISPOSAL METHOD

Dispose of product in accordance with local, county, state and federal regulations.

Section VIII -- SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION

None

PROTECTIVE GLOVES

Recommended for prolonged or repeated contact.

EYE PROTECTION

Safety glasses

VENTILATION

None

OTHER PROTECTIVE EQUIPMENT

None

Section IX -- SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Do not store near incompatible substances. (See section VI)

OTHER PRECAUTIONS

None

Section X -- HAZARDOUS MATERIAL IDENTIFICATION

Communication of physical property, health, and safety information is a key factor in our product safety program. With this information you can better fulfill your obligation to educate exposed personnel in the proper handling techniques required to maintain safety in the workplace. Listed in this section is NPCA-HMIS classification for this product.

HMIS CLASSIFICATION CODE

Health: 1 - Least Hazard

Flammability: 1 - Slight Hazard

Reactivity: 0 - Least Hazard

Personal Protection: B - Glasses and Gloves