



CONCORDE BATTERY VALVE REGULATED LEAD ACID BATTERY



MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER'S		EMERGENCY	
NAME:	CONCORDE BATTERY CORPORATION	TELEPHONE NO.:	CHEMTEL 800-255-3924
ADDRESS:	2009 San Bernardino Rd., West Covina, CA 91790	OTHER	
ADDRESS.	2009 San Bernardino Rd., West Covina, CA 91790	INFORMATION CALLS:	626-813-1234
PERSON RESPONSIBLE		Revised	
FOR PREPARATION:	Gonzalo Ramos, Safety, Health & Environmental Affairs Manager	Date:	JUNE 27, 2011

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

C.A.S.	PRINCIPAL HAZARDOUS COMPONENT(S) (chemical & common name(s)	Hazard Category	% Weight	ACGIH TLV	OSHA PEL/TWA
7439-92-1	Lead/Lead Oxide (Litharge)/Lead Sulfate	Acute-Chronic	60-70	0.05 mg/m ³	0.05 mg/m ³
7440-70-2	Calcium	Reactive	<0.15	Not Established	Not Established
7440-31-5	Tin	Chronic	<1	2	2
7440-38-2	Arsenic (inorganic)	Acute-Chronic	<1	0.01	0.01
7664-93-9	Sulfuric Acid (Battery Electrolyte)	Reactive-Oxidizer Acute -Chronic	10-15	1.0	1.0

Note: PEL's for Individual states may differ from OSHA's PEL's. Check with local authorities for the applicable state PEL's.

OSHA - Occupational Safety and Health Administration; ACGIH - American Conference of Governmental Industrial Hygienists; NIOSH - National Institute for Occupational Safety and Health.

COMMON NAME: (Used on label) Valve Regulated Lead-acid battery

(Trade Name & Synonyms) VRB, VRLA, SLAB, Recombinant Lead Acid: RG, GPL, AGM, PVX or FD Series, D8565 Series

Chemical Family: Toxic and Corrosive Material Mixture
Chemical Name: Battery, Storage, Lead Acid, Valve Regulated Formula: Lead /Acid

SECTION 3 -- HAZARD IDENTIFICATION

		Do not open battery	v. Avoid contact with internal co	mponents. Internal components inclu	de lead and liquid electrol	yte.				
Signs and Symptoms of Exposure	Acute Hazards	severe irritation and Lead - Direct skin o	Electrolyte - Electrolyte is corrosive and contact may cause skin irritation and chemical burns. Electrolyte causes severe irritation and burns of eyes, nose and throat. Ingestion can cause severe burns and vomiting. Lead - Direct skin or eye contact may cause local irritation. Inhalation or ingestion of lead dust or fumes may result in headache, nausea, vomiting, abdominal spasms, fatigue, sleep disturbances, weight loss, anemia and leg, arm and joint pain.							
		irritations, dermatitis burns. Repeated ex	totalite, hausea, withining, abdominal spasms, rangue, sleep distributiones, weight loss, afterna and leg, and and plint pain. ctrolyte - Repeated contact with sulfuric acid and battery electrolyte fluid may cause drying of the skin that may result in ations, dermatitis, and skin ns. Repeated exposure to sulfuric acid mist may cause erosion of teeth, chronic eye irritation and / or chronic inflammation of the e. throat, and lungs.							
	2. Subchronic and Chronic Health Effects Lead - Prolonged exposure may cause central nervous system damage, gastrointestinal disturbances, anemia, irritatatse, insomnia, wrist-drop, kidney dysfunction and reproductive system disturbances. Pregnant women should be percentaged in the productive system damage, gastrointestinal disturbances, anemia, irritatatse, insomnia, wrist-drop, kidney dysfunction and reproductive system damage, gastrointestinal disturbances, anemia, irritatatse, insomnia, wrist-drop, kidney dysfunction and reproductive system damage, gastrointestinal disturbances, anemia, irritatatse, insomnia, wrist-drop, kidney dysfunction and reproductive system damage, gastrointestinal disturbances, anemia, irritatatse, insomnia, wrist-drop, kidney dysfunction and reproductive system damage, gastrointestinal disturbances.									
		<u>California Proposition 65 Warning</u> : Battery posts, terminals, and related accessories contain lead and lead compounds, chemin known to the State of California to cause cancer and reproductive harm, and during charging, strong inorganic acid mists contain sulfuric acid are evolved, a chemical Known to the State of California to cause cancer. Wash hands after handling.								
Medical Conditions Generally Aggravated by Exposure	Conditions Senerally aggravated by Contact with internal components if battery is broken or opened, then persons with the following medical conditions must take precautions: pulmonar edema, bronchitis, emphysema, dental erosion and tracheobronchitis.									
Routes of Entry	Inhalation - YES Ingestion – YES Eye Contact- YES									
Chemical(s) Listed as Carcinogen or notential			Proposition 65 - YES	National Toxicology Program - YES	I.A.R.C. Monographs - YES	OSHA - NO				

SECTION 4 - FIRST AID MEASURES

Emergency and First Aid Procedures	Contact with internal components if battery is opened/broken.					
1. Inhalation	Remove to fresh air and provide medical oxygen/CPR if needed. Obtain medical attention.					
2. Eyes	Immediately flush with water for at least 15 minutes, hold eyelids open. Obtain medical attention.					
3. Skin	Flush contacted area with large amounts of water for at least 15 minutes. Remove contaminated clothing and obtain medical attention if necessary.					
4. Ingestion	Do not induce vomiting. If conscious drink large amounts of water/milk. Obtain medical attention. Never give anything by mouth to an unconscious person.					

SECTION 5 - FIREFIGHTING MEASURES

Flash Point – Not Applicable	Flammable Limits in Air % by Volume: Not Applicable	, , , , , , , , , , , , , , , , , , , ,				
Special Fire Fighting Procedures	Lead/acid batteries do not burn, or burn with difficulty. Do not use water on fires where molten metal is present. Extinguish fire with agent suitable for surrounding combustible materials. Cool exterior of battery if exposed to fire to prevent rupture. The acid mist and vapors generated by heat or fire are corrosive. Use NIOSH approved self-contained breathing apparatus (SCBA) and full protective equipment operated in positive-pressure mode.					
Unusual Fire and Explosion Hazards	Sulfuric acid vapors are generated upon overcharge and polypropylene case failure. Use adequate ventilation. Avoid open flames/sparks/other sources of ignition near battery.					

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Procedures for Cleanup. Avoid contact with any spilled material. Contain spill, isolate hazard area, and deny entry. Limit site access to emergency responders. Neutralize with sodium bicarbonate, soda ash, lime or other neutralizing agent. Place battery in suitable container for disposal. Dispose of contaminated material in accordance with applicable local, state and federal regulations. Sodium bicarbonate, soda ash, sand, lime or other neutralizing agent should be kept on-site for spill remediation.

Personal Precautions: Acid resistant aprons, boots and protective clothing. ANSI approved safety glasses with side shields/face shield recommended.

Environmental Precautions: Lead and its compounds and sulfuric acid can pose a severe threat to the environment. Contamination of water, soil and air should be prevented.

SECTION 7 - HANDLING AND STORAGE

Precautions to be Taken in Handling and Storage	Store away from reactive materials, open flames and sources of ignition as defined in Section 10 – Stability and Reactivity Data. Store batteries in cool, dry, well-ventilated areas. Batteries should be stored under roof for protection against adverse weather conditions. Avoid					
in Handling and Glorage	damage to containers.					
Other Precautions	GOOD PERSONAL HYGIENE AND WORK PRACTICES ARE MANDATORY. Refrain from eating, drinking or smoking in work areas. Thoroughly wash hands, face, neck and arms, before eating, drinking and smoking. Work clothes and equipment should remain in designated					
	lead contaminated areas, and never taken home or laundered with personal clothing. Wash soiled clothing, work clothes and equipment					
	before reuse.					

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Respiratory Protection (Specify Type)	None required under normal conditions. Acid/gas NIOSH approved respirator is required when the PEL is exceeded or employee experiences respiratory irritation.						
Ventilation	Store and handle in dry ventilated area.	dle in dry ventilated Local When PEL is exceeded. Mechanical Not Applicable (General)					
Protective Gloves	Wear rubber or plastic acid resistant gloves. Eye Protection ANSI approved safety glasses with side shields/face					ses with side shields/face shield recommended	
Other Protective Clothing or Equipment	Safety shower and eyewash.						

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: Not Applicable	· · · · · · · · · · · · · · · · · · ·		Specific 1.250-1.320 pH <2 Gravity			Melting Point: >320°F (polypropylene)		
Percent Volatile Not Applicable Vapor Hydrogen: By Volume Density Electrolyte:				(Air =1) (Air = 1)		Evaporation Rate	Not applicable	
Solubility 100% soluble (electrolyte) In water			Reactivity in Water Electrolyte – Water Reactive (1)					
Appearance and Odor: Battery: Co-polymer polypropylene, solid; may be Lead: Gray, metallic, solid; brown/grey oxide Electrolyte: Odorless, liquid absorbed in glass metallic No apparent odor.			grey oxide		vithin an ou	iter casing of alur	ninum or steel. Ca	se has metal terminals.

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable	Conditions to Avoid: Avoid overcharging and smoking, or sparks near battery surface. High temperatures-cases decompose at >320°F.
Incompatibility	Sparks, open flames, keep battery away from strong oxidizers.
(Materials to Avoid)	
Hazardous	Combustion can produce carbon dioxide and carbon monoxide.
Decomposition Products	
Hazardous	Hazardous Polymerization has not been reported.
Polymerization	

SECTION 11 - TOXICOLOGICAL INFORMATION

GENERAL: The primary routes of exposure to lead are ingestion or inhalation of dust and fumes.

ACUTE:

INHALATION/INGESTION: Exposure to lead and its compounds may cause headache, nausea, vomiting, abdominal spasms, fatigue, sleep disturbances, weight loss, anemia, and pain in the legs, arms and joints. Kidney damage, as well as anemia, can occur from acute exposure.

CHRONIC

INHALATION/INGESTION: Prolonged exposure to lead and its compounds may produce many of the symptoms of short-term exposure and may also cause central nervous system damage, gastrointestinal disturbances, anemia, and wrist drop. Symptoms of central nervous system damage include fatigue, headaches, tremors, hypertension, hallucination, convulsions and delirium. Kidney dysfunction and possible injury has also been associated with chronic lead poisoning. Chronic over-exposure to lead has been implicated as a causative agent for the impairment of male and female reproductive capacity, but there is at present, no substantiation of the implication. Pregnant women should be protected from excessive exposure. Lead can cross the placental barrier and unborn children may suffer neurological damage or developmental problems due to excessive lead exposure in pregnant women.

SECTION 12 - ECOLOGICAL INFORMATION

In most surface water and groundwater, lead forms compounds with anions such as hydroxides, carbonates, sulfates, and phosphates, and precipitates out of the water column. Lead may occur as sorbed ions or surface coatings on sediment mineral particles or may be carried in colloidal particles in surface water. Most lead is strongly retained in soil, resulting in little mobility. Lead may be immobilized by ion exchange with hydrous oxides or clays or by chelation with humic or fulvic acids in the soil. Lead (dissolved phase) is bioaccumulated by plants and animals, both aquatic and terrestrial.

SECTION 13 - DISPOSAL CONSIDERATIONS

Lead-acid batteries are completely recyclable. Return whole scrap batteries to distributor, manufacturer or lead smelter for recycling. For information on returning batteries to Concorde Battery for recycling call 626-813-1234. For neutralized spills, place residue in acid-resistant containers with sorbent material, sand or earth and dispose of in accordance with local, state and federal regulations for acid and lead compounds. Contact local and/or state environmental officials regarding disposal information.

SECTION 14 - TRANSPORT INFORMATION

All Concorde AGM, GPL, PVX, RG® series and D8565 series are valve regulated lead acid (VRLA) batteries. Concorde's VRLA batteries have passed vibration, pressure differential and free flowing acid tests under 49 CFR173.159a, meet IATA Special Provisions A48, A67, A164 & A183, and IMDG Special Provisions 238.1 & 238.2. The batteries are securely packaged, protected from short circuits and labeled "Non-Spillable." Concorde's VRLA batteries are exempt from DOT Hazardous Material Regulations, IATA Dangerous Goods Regulations, and IMDG Code.

US DOT

Excepted from the requirements because batteries have passed the vibration and pressure differential performance tests, and ruptured case test for Nonspillable designation.

IMO

Excepted from the requirements because batteries have passed the vibration and pressure differential performance tests, and ruptured case test for nonspillable designation. And, when packaged for transport, the terminals are protected from short circuit.

IATA

Excepted from the requirements because batteries have passed the vibration and pressure differential performance tests, and ruptured case test for nonspillable designation. And when packaged for transport, the terminals are protected from short circuit. The words "Not Restricted" and the Special Provision numbers must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.

SECTION 15 - REGULATORY INFORMATION

U.S. HAZARDOUS UNDER HAZARD COMMUNICATION STANDARD:

LEAD - YES ARSENIC – YES SULFURIC ACID – YES

INGREDIENTS LISTED ON TSCA INVENTORY: YES

CERCLA SECTION 304 HAZARDOUS SUBSTANCES:

 LEAD - YES
 RQ: N/A*

 ARSENIC - YES
 RQ: 1 POUND

 SULFURIC ACID - YES
 RQ: 1000 POUNDS

EPCRA SECTION 302 EXTREMELY HAZARDOUS SUBSTANCE: SULFURIC ACID – YES

EPCRA SECTION 313 TOXIC RELEASE INVENTORY: LEAD – CAS NO: 7439-92-1

ARSENIC - CAS NO: 7440-38-2 SULFURIC ACID - CAS NO: 7664-93-9

SECTION 16 - OTHER INFORMATION

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, CONCORDE BATTERY MAKES NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. ALTHOUGH REASONABLE PRECAUTIONS HAVE BEEN TAKEN IN THE PREPARATION OF THE DATA CONTAINED HEREIN, IT IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION. THIS MATERIAL SAFETY DATA SHEET PROVIDES GUIDELINES FOR THE SAFE HANDLING AND USE OF THIS PRODUCT; IT DOES NOT AND CANNOT ADVISE ON ALL POSSIBLE SITUATIONS, THEREFORE, YOUR SPECIFIC USE OF THIS PRODUCT SHOULD BE EVALUATED TO DETERMINE IF ADDITIONAL PRECAUTIONS ARE REQUIRED.

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export-controlled information.

FORM MSDS REV. 06/27/2011

^{*} RQ: REPORTING NOT REQUIRED WHEN DIAMETER OF THE PIECES OF SOLID METAL RELEASED IS EQUAL TO OR EXCEEDS 100 µm (micrometers).