

Section I -- PRODUCT & COMPANY IDENTIFICATION

PRODUCT NUMBER GC603
PRODUCT NAME NCP-2 Battery Terminal Protectors
HMIS CODES Health: 0, Flammability: 1, Reactivity: 0

MANUFACTURER'S NAME

The Noco® Company
 Cleveland, OH 44122

EMERGENCY TELEPHONE NO.

(800) 424-9300

INFORMATION TELEPHONE NO.

(800) 456-6626

DATE OF PREPARATION

15-MARCH-2011

Section II -- HAZARDOUS INGREDIENTS

Contains non-hazardous materials. The following is a list of non-hazardous chemicals

| % by WT | CAS No. | INGREDIENT | TLV PPM | TLV MG/M ³ | LEL | PEL PPM |
|---------|------------|---|---------|-----------------------|------|---------|
| 8 | 64741-95-3 | Deasphalted Residuum | NONE | 5.0 | NONE | NONE |
| 1 | 64742-65-0 | Solvent De-Waxed Distillate Heavy Paraffin | NONE | 5.0 | NONE | NONE |

SARA HAZARD: None (not listed - Title III, Section 313)

CARCINOGENICITY: This product is not considered a suspected animal carcinogen by the National Toxicity Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration.

PURSUANT TO PROPOSITION 65: Certain raw materials used in making this product may contain small amounts of materials as impurities which are regulated by Proposition 65. See section IX.

Section III -- PHYSICAL DATA

| | | | | | |
|-------------------------------|---------------------|-----------------------------|------------------|--------------------------|-------------------|
| Boiling Range: | 600 °F | Vapor Density: | Heavier than air | Specific Gravity: | N/A |
| Appearance & Odor: | Red, Lubricant Like | Solubility in Water: | No | Evaporation Rate: | Slower than ether |
| Volatile Volume: | Negligible | | | | |

Section IV -- FIRE & EXPLOSION HAZARDS

FLASH POINT 532-COCF
LEL See section II

EXTINGUISHING MEDIA

Extinguish with dry chemical, CO₂, water spray, foam, sand or earth and foam may cause frothing.

SPECIAL FIRE FIGHTING PROCEDURES

Wear self-contained breathing apparatus and protective clothing.

UNUSUAL HAZARDS

None known

Section V -- HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

(see section II Hazardous Ingredients)

ROUTES OF ENTRY

INHALATION: NO

SKIN: YES

INGESTION: YES

EFFECTS OF OVEREXPOSURE TO SKIN:

This material may cause skin irritation. Prolonged or repeated contact may cause redness, burning, and dermatitis.

EYE:

This material may cause eye irritation. Direct contact may cause burning, tearing and redness.

INGESTION:

Ingestion of this material may cause irritation of the digestive tract.

CHRONIC:

Cancer: No information found in standard references.

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: If irritation of nose or throat develops, move away from source of exposure and into fresh air.

SKIN CONTACT: Do not use gasolines, thinners, or solvents to remove products from skin. Wipe material from skin and remove contaminated clothing. Cleanse affected area(s) thoroughly by washing with mild soap and water and, if necessary, a waterless skin cleaner. If irritation or redness develops and persists, seek medical attention.

EYE CONTACT: For direct contact, flush the affected eye(s) with clean water. Seek medical attention.

INGESTION: If swallowed, do not induce vomiting, give 2 or 3 cups of milk or water to drink. Seek medical attention.

Section VI -- REACTIVITY DATA

STABILITY

Stable

INCOMPATIBILITY

Avoid contact with strong oxidizing agents. Extended exposure to high temperatures may cause decomposition.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition in the presence of air may yield major amounts of oxides of carbon and minor amounts of oxides of sulfur and nitrogen.

HAZARDOUS POLYMERIZATION

Will not occur

Section VII -- SPILL OR LEAKAGE PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Wash down any excess liquid with water.

WASTE DISPOSAL METHOD

Dispose of in accordance with local, county, state and federal regulations.

Section VIII -- SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION

None

PROTECTIVE GLOVES

Recommended for prolonged or repeated contact.

EYE PROTECTION

Wear safety spectacles.

OTHER PROTECTION

None

VENTILATION

None

Section IX -- SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Do not store near incompatible substances. (see section VI)

OTHER PRECAUTIONS

None.

PURSUANT TO PROPOSITION 65

Proposition 65 applies to list of chemicals named by the Governor of California as carcinogens or reproductive toxins. Warning requirements for specific chemicals take effect one year after they are added to the Governor's List. Other chemicals already added to the Governor's List will be regulated later under Proposition 65.

Section X -- HAZARDOUS MATERIAL IDENTIFICATION

Communication of physical property, health, and safety information is a key factor in our product safety program. With this information you can better fulfill your obligation to educate exposed personnel in the proper handling techniques required to maintain safety in the workplace. Listed in this section is NPCA-HMIS classification for this product.

HMIS CLASSIFICATION CODE:

HEALTH: 0 least hazard

FLAMMABILITY: 1 slight hazard

REACTIVITY: 0 least hazard

PERSONAL PROTECTION: B glasses and gloves

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.